

**Cc:** [Nonresponsive Based on revised scope]@erllc.com]  
**To:** McLaughlin, Don[Mclaughlin.Don@epa.gov]; [Nonresponsive Based on revised scope]@tetrattech.com]  
**From:** Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]  
**Sent:** Tue 8/24/2021 12:30:35 PM (UTC)  
**Subject:** Fwd: CT9203- SHILOH CHURCH ROAD REMOVAL - Unvalidated (DRAFT) PCB Aroclors by SW8082A data - IMPORTANT  
2108003 - SHILOH CHURCH ROAD R - PCBs Unvalidated Data.pdf

Don and [Nonresponsive Based on revised scope]

These are the post ex results from the 3 flags near the former disposal pile

See if you can figure out which spot is the >1 result and excavate this spot between trucks if possible

It can go in the soil on the trucks today

Thank you!  
Chris

Begin forwarded message:

**From:** "O'Neal, Nathaniel" <ONeal.Nathaniel@epa.gov>  
**Date:** August 24, 2021 at 6:56:41 AM EDT  
**To:** "Wagner, Christine" <Wagner.Christine@epa.gov>, [Nonresponsive Based on revised scope]@tetrattech.com>  
**Cc:** "Curry, John" <Curry.John@epa.gov>  
**Subject:** CT9203- SHILOH CHURCH ROAD REMOVAL - Unvalidated (DRAFT) PCB Aroclors by SW8082A data

This email transmits the unvalidated PCB Aroclor results for the SHILOH CHURCH ROAD REMOVAL site, CT9203, work order 2108003.

These data are attached as a pdf file.

While we expect the final data to be the same as the unvalidated data, some minor editing may take place.

Please let me know if you have any questions.

Thanks,

**Nathan O'Neal, Chemist**  
Applied Science Division  
EPA Environmental Science Center  
701 Mapes Road  
Fort Meade, MD 20755  
(410)305-2604  
oneal.nathaniel@epa.gov